



COPY OF PAPERS
ORIGINALLY FILED

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 2508.16US07

Neuman et al.

Confirmation No.: 1532

Application No.: 10/057,777

Filed: January 25, 2002

Group Art Unit: 1635

For: METHOD FOR INDUCING DNA SYNTHESIS IN NEURONS

RECEIVED

AUG 23 2002

TECH CENTER 1600/2000

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents
Washington, D.C. 20231


Sir:

Pursuant to 37 C.F.R. § 1.56, the attention of the Patent and Trademark Office is hereby directed to the references listed on the attached Form PTO-1449. It is respectfully requested that the information be expressly considered during the prosecution of this application, and that the references be made of record therein and appear among the "References Cited" on any patent to issue therefrom.

This information is being filed before the mailing date of a first Office Action on the merits. No certification or fee is required.

Copies of the references were cited by or submitted to the Office in U.S. Patent No. 6,372,721, issued April 16, 2002, which is relied upon for an earlier filing date under 35 U.S.C. § 120 except for the Chomyszynski and Sacci reference (last reference). Thus, copies of these references, except for the Chomyszynski and Sacci reference, are not attached. 37 C.F.R. § 1.98(d).

Respectfully submitted,



Curtis B. Herbert, Esq.
Registration No. 45,443

Customer No. 24113
Patterson, Thunte, Skaar & Christensen, P.A.
4800 IDS Center
80 South 8th Street
Minneapolis, Minnesota 55402-2100
Telephone: (612) 349-3008


Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.

CERTIFICATE OF MAILING

I hereby certify that this document is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Assistant Commissioner for Patents, Washington, D.C. 20231 on

August 16, 2002
Date of Deposit


Curtis B. Herbert, Esq.



COPY OF PATENT
ORIGINALLY FILED

9 / I.D.S

PTO-1449 MODIFIED

Docket No.:
2508.16US07

Application No.:
2005.7.7

**INFORMATION DISCLOSURE CITATION
IN AN APPLICATION**

APPLICANT: Neuman, et al.

FILING DATE: January 25, 2002

GROUP ART UNIT: 1635

RECEIVED


AUG 23 2002

OTHER DOCUMENTS

TECH CENTER 1600/2900

Examiner Initials	(Author, Title, Date, Pertinent Pages, etc.)
	Crystal, R. G. Transfer of genes to humans: Early lessons and obstacles to success. Science 270: 404-410, 1995.
	Report and recommendations of the panel to assess the NIH investment in research on gene therapy, Orkin and Motulsky, co-chairs. National Institutes of Health, Dec. 1995.
	Suda et al., "DNA synthesis is induced in adult neurons after expression of E2F1 and E1A," NeuroReport, 5:1749-51 (1994).
	Terry, "Regeneration in Alzheimer Disease and Aging," Advances in Neurology, 59:1-4 (1993).
	Koliatsos et al., "Evidence That Brain-Derived Neurotrophic Factor Is a Trophic Factor for Motor Neurons In Vivo," Neuron, 10:359-367 (1993).
	Hunter, "Braking the Cycle," Cell, 75:839-841 (1993).
	Johnson et al., "Expression of transcription factor E2F1 induces quiescent cells to enter S phase," Nature, 365:349-352 (1993).
	Zhu et al., "Inhibition of cell proliferation by p107, a relative of the retinoblastoma protein," Genes & Development, 7:1111-25 (1993).
	Okano et al., "RB and Cdc2 Expression in Brain: Correlations with .sup.3 H-Thymidine Incorporation and Neurogenesis," The Journal of Neuroscience, 13:2930-38 (1993).
	Gu et al., "Interaction of Myogenic Factors and the Retinoblastoma Protein Mediates Muscle Cell Commitment and Differentiation," Cell, 72:309-324 (1993).
	Schwarz et al., "Interactions of the p107 and Rb proteins with E2F during the cell proliferation response," The EMBO Journal, 12:1013-20 (1993).
	Yan et al., "Brain-derived neurotrophic factor rescues spinal motor neurons from axotomy-induced cell death," Nature, 360:753-755 (1992).
	Devoto et al., "A Cyclin A-Protein Kinase Complex Possesses Sequence-Specific DNA Binding Activity: p33.sup.cdk2 Is a Component of the E2F-Cyclin A Complex," Cell, 68:167-176 (1992).
	Zambetti et al., "Wild-type p53 mediates positive regulation of gene expression through a specific DNA sequence element," Genes & Development, 6:1143-52 (1992).
	Pagano et al., "Association of cdk2 Kinase with the Transcription Factor E2F During S Phase," Science, 255:1144-47 (1992).
	Kaelin, Jr., et al., "Expression Cloning of a cDNA Encoding a Retinoblastoma-Binding Protein with E2F-like Properties," Cell, 70:351-364 (1992).
	Lee et al., "Mice deficient for Rb are nonviable and show defects in neurogenesis and haematopoiesis," Nature, 359:288-294 (1992).
EXAMINER SIGNATURE	DATE CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

AUG 23 2002

TECH CENTER 1600/2900

FORM PTO-1449 MODIFIED		Docket No.: 2508.16US07	Application No.: 10/057,777
INFORMATION DISCLOSURE CITATION IN AN APPLICATION		APPLICANT: Neuman, et al.	
		FILING DATE: January 25, 2002	
		GROUP ART UNIT: 1635	
OTHER DOCUMENTS			
Examiner Initials	(Author, Title, Date, Pertinent Pages, etc.)		
	Jacks et al., "Effects of an Rb mutation in the mouse," Nature, 359:295-300 (1992).		
	RayChaudhuri et al., Escherichia coli cell-division gene ftsZ encodes a novel GTP-binding protein, Nature, 359:251-254 (1992).		
	Dalton, "Cell cycle regulation of the human cdc2 gene," The EMBO Journal, 11:1797-1804 (1992).		
	Shirodkar et al., "The Transcription Factor E2F Interacts with the Retinoblastoma Product and a p107-Cyclin A Complex in a Cell Cycle-Regulated Manner," Cell, 68:157-166 (1992).		
	Helin et al., "A cDNA Encoding a pRB-Binding Protein with Properties of the Transcription Factor E2F," Cell, 70:337-350 (1992).		
	Chellappan et al., "Adenovirus E1A, simian virus 40 tumor antigen, and human papillomavirus E7 protein share the capacity to disrupt the interaction between transcription factor E2F and the retinoblastoma gene product," Proc. Natl. Acad. Sci. USA, 89:4549-53 (1992).		
	Cao et al., "Independent binding of the retinoblastoma protein and p107 to the transcription factor E2F," Nature, 355:176-179 (1992).		
	Neuman et al., "ME1 and GE1: Basic Helix-Loop-Helix Transcription Factors Expressed at High Levels in the Developing Nervous System and in Morphogenetically Active Regions," European Journal of Neuroscience, 5:311-318 (1992).		
	Oin et al., "Identification of a growth suppression domain within the retinoblastoma gene product," Genes & Development, 6:953-964 (1992).		
	Takahashi et al., "BUdR as an S-phase marker for quantitative studies of cytokinetic behaviour in the murine cerebral ventricular zone," Journal of Neurocytology, 21:185-197 (1992).		
	Nevins, "E2F: A Link Between the Rb Tumor Suppressor Protein and Viral Oncoproteins," Science, 258:424-429 (1992).		
	Hiebert et al., "The interaction of RB with E2F coincides with an inhibition of the transcriptional activity of E2F," Genes & Development, 6:177-185 (1992).		
	Zamanian et al., "Adenovirus Ela prevents the retinoblastoma gene product from repressing the activity of a cellular transcription factor," The EMBO Journal, 11:2603-10 (1992).		
	Weintraub et al., "Retinoblastoma protein switches the E2F site from positive to negative element," Nature, 358:259-262 (1992).		
EXAMINER SIGNATURE		DATE CONSIDERED	
EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.			



COPY OF PAPERS
ORIGINALLY FILED

RECEIVED

AUG 23 2002

TECH CENTER 1600/2900

FORM PTO-1449 MODIFIED	Docket No.: 2508.16US07	Application No.: 10/057,777
INFORMATION DISCLOSURE CITATION IN AN APPLICATION	APPLICANT: Neuman, et al.	
	FILING DATE: January 25, 2002	
	GROUP ART UNIT: 1635	


OTHER DOCUMENTS

Examiner Initials	(Author, Title, Date, Pertinent Pages, etc.)
	Hamel et al., "Transcriptional Repression of the E2-Containing Promoters EIIaE, c-myc, and RB1 by the Product of the RB1 Gene," Molecular and Cellular Biology, 12:3431-38 (1992).
	Tuszynski et al., "Recombinant Human Nerve Growth Factor Infusions Prevent Cholinergic Neuronal Degeneration in the Adult Primate Brain," Annals of Neurology, 30:625-636 (1991).
	Phillips et al., "BDNF mRNA Is Decreased in the Hippocampus of Individuals with Alzheimer's Disease," Neuron, 7:695-702 (1991).
	MacGregor et al., "Use of E. coli lacZ (.beta.-Galactosidase) as a Reporter Gene," Methods in Molecular Biology, 7:217-235 (1991).
	Goodrich et al., "The Retinoblastoma Gene Product Regulates Progression through the G1 Phase of the Cell Cycle," Cell, 67:293-302 (1991).
	Mudryj et al., "Cell Cycle Regulation of the E2F Transcription Factor Involves an Interaction with Cyclin A," Cell, 65:1243-53 (1991).
	Chellappan et al., "The E2F Transcription Factor Is a Cellular Target for the RB Protein," Cell, 65:1053-61 (1991).
	Alderson et al., "Brain-Derived Neurotrophic Factor Increases Survival and Differentiated Functions of Rat Septal Cholinergic Neurons in Culture," Neuron, 5:297-306 (1990).
	Altman et al., "Migration and Distribution of Two Populations of Hippocampal Granule Cell Precursors During the Perinatal and Postnatal Periods," The Journal of Comparative Neurology, 301:365-381 (1990).
	Holmberg et al., "Highly Efficient Immunoliposomes Prepared with a Method Which is Compatible with Various Lipid Compositions," Biochemical and Biophysical Research Communications, 165:1272-78 (1989).
	Bernards et al., "Structure and expression of the murine retinoblastoma gene and characterization of its encoded protein," Proc. Natl. Acad. Sci. USA, 86:6474-78 (1989).
	Goetz et al., "Multicenter Study of Autologous Adrenal Medullary Transplantation to the Corpus Striatum in Patients with Advanced Parkinson's Disease," The New England Journal of Medicine, 320:337-341 (1989).

EXAMINER
SIGNATURE

DATE
CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.



Y OF PAPERS
ORIGINALLY FILED

FORM PTO 449 MODIFIED INFORMATION DISCLOSURE CITATION IN AN APPLICATION.	Docket No.: 2508.16US07	Application No.: 10/057,777
	APPLICANT: Neuman, et al.	
	FILING DATE: January 25, 2002	
	GROUP ART UNIT: 1635	

OTHER DOCUMENTS

Examiner Initials	(Author, Title, Date, Pertinent Pages, etc.)
	Hofer et al., "Brain-derived neurotrophic factor prevents neuronal death in vivo," Nature, 331:261-262 (1988).
	Hansen et al., "Adrenal Medullary Autografts into the Basal Ganglia of Cebus Monkeys: Graft Viability and Fine Structure," Experimental Neurology, 102:65-75 (1988).
	D'Mello et al., "Isolation and Nucleotide Sequence of a cDNA Clone Encoding Bovine Adrenal Tyrosine Hydroxylase: Comparative Analysis of Tyrosine Hydroxylase Gene Products," Journal of Neuroscience Research, 19:440-449 (1988).
	Levi-Montalcini, "The Nerve Growth Factor 35 Years Later," Science, 237:1154-62 (1987).
	Freed et al., "Intrastriatal adrenal medulla grafts in rats," J. Neurosurg. 65:664-670 (1986).
	Lindvall et al., "Transplantation in Parkinson's Disease: Two Cases of Adrenal Medullary Grafts to the Putamen," Annals of Neurology, 22:457-468 (1986).
	Bayer, "Changes in the Total Number of Dentate Granule Cells in Juvenile and Adult Rats: A Correlated Volumetric and .sup.3 H-Thymidine Autoradiographic Study," Exp. Brain Res., 46:315-323 (1982).
	Pfeiffer et al., "Differentiation of a Teratocarcinoma Line: Preferential Development of Cholinergic Neurons," The Journal of Cell Biology, 88:57-66 (1981).
	Kaplan et al., "Neurogenesis in the Adult Rat: Electron Microscopic Analysis of Light Radioautographs," Science, 197:1092-94 (1977).
	Angevine et al., "Autoradiographic Study of Cell Migration during Histogenesis of Cerebral Cortex in the Mouse," Nature, 192:766-768 (1961).
	Chomczynski and Sacci, "Single-Step Method of RNA Isolation by Acid Guanidinium Thiocyanate-Phenol-Chloroform Extraction", Analytical Biochemistry, 162: 156-159 (1987).

EXAMINER
SIGNATURE

DATE
CONSIDERED

EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP § 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to the applicant.

RECEIVED
AUG 23 2002
TECH CENTER 1600/2900